Biopolymers

Author Index—Volume 42

Abad, C. See Pérez-Payá, E., 169
Alarcón, B. See Borroto, A., 75
Almás, M. See Szókán, Gy., 305
Altorfer, M. See Obrecht, D., 575
Applequist, J. See Bode, K. A., 855
Awasthi, S. K. See Rajan, R., 125

Babiychuk, E. B.
—; Sobieszek, A.: Oligomerization of Smooth Muscle Myosin Light Chain Kinase and Its Modifications by Melittin and Calmodulin, 673
Balaram, P. See Rajan, R., 125
Baranovsky, S. F. See Davies, D. B., 285
Baudouin, L. See McClure, J. E., 203
Becktel, W. J. See Rellick, L. M., 191
Bramanti, E.
—; Benedetti, E.; Nicolini, C.; Berzina, T.; Erokhin, V.; D'Alessio, A.; Benedetti, E.: Qualitative and Quantitative Analysis of the Secondary Structure of Cytochrome C Langmuir-Blodgett Films 227
Benedetti, E. See Bramanti, E., 227; See Crisma, M., 1
Berman, H. M. See Schneider, B., 113
Berzina, T. See Bramanti, E., 227
Bhattacharjya, S. See Rajan, R., 125
Bisagni, E. See Kim, S. K., 101
Blondelle, S. E.
—; Forood, B.; Houghten, R. A.; Pérez-Payá, E.: Secondary Structure Induction in Aqueous vs Membrane-Like Environments, 489
Bode, K. A.
—; Applequist, J.: Helix Bundles and Coiled Coils in α-Spectrin and Tropomyosin: A Theoretical CD Study, 855
Bohdal, U. See Obrecht, D., 575
Bonazzi, S. See Gottarelli, G., 561
Borroto, A.
—; Jiménez, M. A.; Alarcón, B.; Rico, M.: ^{1}H-NMR Analysis of CD3-ε Reveals the Presence of Turn-Helix Structures Around the ITAM Motif in an Otherwise Random Coil Cytoplasmic Tail, 75
Boutebba, A.
—; Milas, M.; Rinaudo, M.: Order-Disorder Conformational Transition in Succinoglycan: Calorimetric Measurements, 811
Brant, D. A. See McIntire, T. M., 133
Brooks, C. L., III See Guo, Z., 745
Burgess, K.
—; Li, W.; Lim, D.; Moye-Sherman, D.: Comparisons of the Conformational Biases Imposed by *trans*-2,3-Methanomethionine and α-Methylmethionine, 439
Burkhart, B. M. See Pletnev, V. Z., 645
Byberg Buur, J. R. See da Graça Thrige, D., 319

Cabrele, C.
—; Furin, S.; Gurrath, M.; Mammi, S.; Schievano, E.; Peggion, E.: Aggregation and Conformational Transition in Aqueous Solution of a Bombolitin III Analogue Containing a Photoreactive Side-Chain Group, 147
Cai, G.-P. See Li, Y.-H., 219
Campos, A. See Pérez-Payá, E., 169
Cann, J. R. See Sejbal, J., 521
Carpenter, K. A.
—; Wilkes, B. C.; De Léan, A.; Fournier, A.; Schiller, P. W.: Hydrophobic Forces are Responsible for the Folding of a Highly Potent Natriuretic Peptide Analogue at a Membrane Mimetic Surface: An NMR Study, 37
Chauhan, V. S. See Rajashankar, K. R., 373
Cheng, M. See Sun, W.-Y., 297
Chen, Y.
—; Wallace, B. A.: Solvent Effects on the Conformation and Far UV CD Spectra of Gramicidin, 771
Chou, K.-C.
Prediction and Classification of α-Turn Types, 837
Chrambach, A. See Radko, S. P., 183
Church, J. S.
—; Corino, G. L.; Woodhead, A. L.: The Analysis of Merino Wool Cuticle and Cortical Cells by Fourier Transform Raman Spectroscopy, 7
Ciuchi, F. See Gottarelli, G., 561
Cizeau, P.
—; Viovy, J.-L.: Modeling

Extreme Extension of DNA, 383
Collet, O.
—; Prémilat, S.; Maigret, B.; Scheraga, H. A.: Comparison of Explicit and Implicit Treatments of Solvation: Application to Angiotensin II, 363
Corino, G. L. See Church, J. S., 7
Crisma, M.
—; Formaggio, F.; Valle, G.; Toniolo, C.; Saviano, M.; Iacovino, R.; Zaccaro, L.; Benedetti, E.: Experimental Evidence at Atomic Resolution for Intramolecular N—H···π (Phenyl) Interactions in a Family of Amino Acid Derivatives (Rapid Communication), 1

da Graça Thrige, D.
—; Byberg Buur, J. R.; Jørgensen, F. S.: Substrate Binding and Catalytic Mechanism in Phospholipase C from *Bacillus cereus:* A Molecular Mechanics and Molecular Dynamics Study, 319
D'Alessio, A. See Benedetti, E., 227
Daly, J. See Obrecht, D., 575
D'Andrea, L. D.
—; Mazzeo, M.; Isernia, C.; Rossi, F.; Saviano, M.; Gallo, P.; Paolillo, L.; Pedone, C.: Solution Conformational Preferences of a Peptidic Analogue of a Natural Macrolide, 349
Davies, D. B.
—; Djimant, L. N.; Baranovsky, S. F.; Veselkov, A. N.: ^{1}H-NMR Determination of the Thermodynamics of Drug Complexation with Single-Stranded and Double-Stranded Oligonucleotides in Solution: Ethidium Bromide Complexation with the Deoxytetranucleotides 5′-d(ApCpGpT), 5′-d(ApGpCpT), and 5′-d(TpGpCpA), 285
De Léan, A. See Carpenter, K. A., 37
Delrow, J. J.
—; Gebe, J. A.; Schurr, J. M.: Comparison of Hard-Cylinder and Screened Coulomb Interactions in the Modeling of Supercoiled DNAs, 455
Djimant, L. N. See Davies, D. B., 285
Duax, W. L. See Pletnev, V. Z., 645, 651
Duneau, J. P. See Garnier, N., 157

Erokhin, V. See Bramanti, E., 227

Fang, J.-L. See Sun, W.-Y., 297
Fischer, G. See Kramer, M. L., 49
Formaggio, F. See Crisma, M., 1
Forood, B. See Blondelle, S. E., 489
Fournier, A.Schiller, P. W. See Carpenter, K. A., 37
Furin, S. See Cabrele, C., 147

Gallo, P. See D'Andrea, L. D., 349
Garbesi, A. See Gottarelli, G., 561
Garcia, A. A. See Vuppu, A. K., 89
Garestier, T. See Kim, S. K., 101
Gargallo, R.
—; Tauler, R.; Izquierdo-Ridorsa, A.: Acid–Base and Copper(II) Complexation Equilibria of Poly(inosinic)-Poly(cytidylic) Acid, 271
Garnier, N.
—; Genest, D.; Duneau, J. P.; Genest, M.: Molecular Modeling of c-erbB2 Receptor Dimerization: Coiled-Coil Structure of Wild and Oncogenic Transmembrane Domains—Stabilization by Interhelical Hydrogen Bonds in the Oncogenic Form, 157
Gavuzzo, E. See Torrini, I., 415
Gebe, J. A. See Delrow, J. J., 455
Gelfi, C. See Stellwagen, N. C., 687
Genest, D. See Garnier, N., 157
Genest, M. See Garnier, N., 157
Gera, L. See Sejbal, J., 521
Gido, S. P. See Valluzzi, R., 705
Goldstein, R. A. See Govindarajan, S., 427
Gómez, C. M. See Pérez-Payá, E., 169
Gottarelli, G.
—; Proni, G.; Spada, G. P.; Bonazzi, S.; Garbesi, A.; Ciuchi, F.; Mariani, P.: The Self-Assembly and Liquid Crystal Formation of d(GpGpApGpG), 561
Govindarajan, S.
—; Goldstein, R. A.: The Foldability Landscape of Model Proteins, 427
Gray, D. M.
Derivation of Nearest-Neighbor Properties from Data on Nucleic Acid Oligomers. II. Thermodynamic Parameters of DNA·RNA Hybrids and DNA Duplexes, 795
Derivation of Nearest-Neighbor Properties from Data on Nucleic Acid Oligomers. I. Simple Sets of Independent Sequences and the Influence of Absent Nearest Neighbors, 783
Gray, D. M. See Mark, B. L., 337
Grdadolnik, S. G.
—; Mierke, D. F.: Vancomycin: Interactions with a Model Cell Membrane (Rapid Communication), 627
Guo, Z.
—; Brooks, C. L., III: Thermodynamics of Protein Folding: A Statistical

Mechanical Study of a Small All-β Protein, 745
Gupta, P.
—; Hall, C. K.: Effect of Solvent Conditions Upon Refolding Pathways and Intermediates for a Simple Lattice Protein, 399
Gurrath, M. See Cabrele, C., 147

Hall, C. K. See Gupta, P., 399
Han, S. J. See Park, H. J., 19
Harding, M. M.
—; Krippner, G. Y.; Shelton, C. J.; Rodger, A.; Sanders, K. J.; Mackay, J. P.; Prakash, A. S.: DNA-Binding Studies of XSPTSPSZ, Derivatives of the Intercalating Heptad Repeat of RNA Polymerase II, 387
Hélène, C. See Kim, S. K., 101
Hicks, M.
—; Wharton, G., III; Huchital, D. H.; Murphy, W. R., Jr.; Sheardy, R. D.: Assessing the Sequence Specificity in the Binding of Co(III) to DNA via a Thermodynamic Approach, 549
Holtzer, A.
Persistent Confusion on the van't Hoff Equation (Rapid Communication), 499
Houghten, R. A. See Blondelle, S. E., 489
Huber, W. See Obrecht, D., 575
Huchital, D. H. See Hicks, M., 549
Hudecz, F. See Mezö, G., 719
Hudson, S. See Mathur, A. B., 61

Iacovino, R. See Crisma, M., 1
Isernia, C. See D'Andrea, L. D., 349
Ivanov, V. T. See Pletnev, V. Z., 645, 651
Izquierdo-Ridorsa, A. See Gargallo, R., 271

Jain, R. M. See Rajashankar, K. R., 373
Jhon, G.-J. See Park, H. J., 19
Jiménez, M. A. See Borroto, A., 75
Jørgensen, F. S. See da Graça Thrige, D., 319

Kajtár, J. See Mezö, G., 719
Kang, Y. K. See Park, H. J., 19
Khlafulla, A. R. See Szókán, Gy., 305
Kidrič, J. See Pristovšek, P., 659
Kim, S. K.
—; Sun, J.-S.; Garestier, T.; Hélène, C.; Nguyen, C. H.; Bisagni, E.; Rodger, A.; Nordén, B.: Binding Geometries of Triple Helix Selective benzopyrido[4,3-b]indole Ligands Complexed with Double- and Triple-Helical Polynucleotides, 101
Kolinski, A.
—; Madziar, P.: Collapse Transitions in Protein-Like Lattice Polymers: The Effect of Sequence Patterns, 537
Kotovych, G. See Sejbal, J., 521
Kramer, M. L.
—; Fischer, G.: FKBP-Like Catalysis of Peptidyl–Prolyl Bond Isomerization by Micelles and Membranes, 49
Krippner, G. Y. See Harding, M. M., 387
Krizsán, K. See Szókán, Gy., 305

Labhardt, A. See Obrecht, D., 575
Langs, D. A. See Pletnev, V. Z., 645, 651
Lehmann, C. See Obrecht, D., 575
Liang, C.
—; Mislow, K.: Topological Chirality of Iron–Sulfur Proteins, 411
Lim, D. See Burgess, K., 439
Lin, M.-C.
—; Macgregor, R. B., Jr.: Pressure-Jump Relaxation Kinetics of a DNA Triplex Helix–Coil Equilibrium (Rapid Communication), 129
Li, W. See Burgess, K., 439
Li, Y.-H.
—; Yue, J.-C.; Cai, G.-P.: Fluorescence Characterization of Type I Collagen from Normal and Silicotic Rats and Its Quenching Dynamics Induced by Hypocrellin B, 219
Lomize, A. L.
—; Mosberg, H. I.: Thermodynamic Model of Secondary Structure for α-Helical Peptides and Proteins, 239
Lucente, G. See Torrini, I., 415

Macgregor, R. B., Jr. See Lin, M.-C., 129
Mackay, J. P. See Harding, M. M., 387
Madziar, P. See Kolinski, A., 537
Maigret, B. See Collet, O., 363
Mammi, S. See Cabrele, C., 147
Mansuy, D. See McClure, J. E., 203
Mariani, P. See Gottarelli, G., 561
Mark, B. L.
—; Gray, D. M.: Tyrosine Mutant Helps Define Overlapping CD Bands from fd Gene 5 Protein · Nucleic Acid Complexes, 337
Marzilli, L. G. See McClure, J. E., 203
Masuda, T. See Tada, T., 479
Mathur, A. B.
—; Tonelli, A.; Rathke, T.; Hudson, S.: The Dissolution and Characterization of *Bombyx mori* Silk Fibroin in Calcium Nitrate–Methanol Solution and the Regeneration of Films, 61
Matsumoto, T. See Tada, T., 479
Mazza, F. See Torrini, I., 415

Mazzeo, M. See D'Andrea, L. D., 349
McClure, J. E.
—; Baudouin, L.; Mansuy, D.; Marzilli, L. G.: Interactions of DNA with a New Electron-Deficient Tentacle Porphyrin: *meso*-Tetrakis [2,3,5,6-Tetrafluoro-4-(2-Trimethylammoniumethyl-amine) phenyl] porphyrin, 203
McIntire, T. M.
—; Brant, D. A.: Imaging of Individual Biopolymers and Supramolecular Assemblies Using Noncontact Atomic Force Microscopy, 133
Mercurio, E.
—; Pellegrini, M.; Mierke, D. F.: Structure, Dynamics, and Topological Orientation of the Polyether, Ionophore Antibiotic Monensin, in a Micellar Environment, 759
Mezö, G.
—; Kajtár, J.; Nagy, I.; Szekerke, M.; Hudecz, F.: Carrier Design: Synthesis and Conformational Studies of Poly (L-Lysine) Based Branched Polypeptides with Hydroxyl Groups in the Side Chains, 719
Mierke, D. F. See Grdadolnik, S. G., 627; See Mercurio, E., 759
Milas, M. See Boutebba, A., 811
Mislow, K. See Liang, C., 411
Mosberg, H. I. See Lomize, A. L., 239
Moye-Sherman, D. See Burgess, K., 439
Müller, K. See Obrecht, D., 575
Murphy, W. R., Jr. See Hicks, M., 549

Nadig, G.
—; Vishveshwara, S.: Effects of Substrate Binding on the Dynamics of RNase A: Molecular Dynamics Simulations of UpA Bound and Native RNase A, 505
Nagy, I. See Mezö, G., 719
Nakaie, C. R. See Pertinhez, T. A., 821
Nakatani, H.
Monte Carlo Simulation of Multiple Attack Mechanism of β-Amylase-Catalyzed Reaction, 831
Neidle, S. See Schneider, B., 113
Neumann, J.-M. See Roux, M., 731
Nguyen, C. H. See Kim, S. K., 101
Nicolini, C. See Bramanti, E., 227
Nordén, B. See Kim, S. K., 101

Obrecht, D.
—; Altorfer, M.; Bohdal, U.; Daly, J.; Huber, W.; Labhardt, A.; Lehmann, C.; Müller, K.; Ruffieux, R.; Schönholzer, P.; Spiegler, C.; Zumbrunn, C.: Design and Synthesis of Novel Nonpolar Host Peptides for the Determination of the 3_{10}- and α-Helix Compatibilities of α-Amino Acid Building Blocks: An Assessment of α,α-Disubstituted Glycines, 575

Pagani Zecchini, G. See Torrini, I., 415
Paglialunga Paradisi, M. See Torrini, I., 415
Palva, A. C. M. See Pertinhez, T. A., 821
Paolillo, L. See D'Andrea, L. D., 349
Park, H. J.
—; Jhon, G.-J.; Han, S. J.; Kang, Y. K.: Conformational Study of Asialo-GM1 (GA1) Ganglioside, 19
Pedone, C. See D'Andrea, L. D., 349
Peggion, E. See Cabrele, C., 147
Pellegrini, M. See Mercurio, E., 759
Pérez-Payá, E.
—; Porcar, I.; Gómez, C. M.; Campos, A.; Abad, C.: Binding of Basic Amphipathic Peptides to Neutral Phospholipid Membranes: A Thermodynamic Study Applied to Dansyl-Labeled Melittin and Substance P Analogues, 169
Pérez-Payá, E. See Blondelle, S. E., 489
Pernodet, N.
—; Tinland, B.: Influence of λ-DNA Concentration on Mobilities and Dispersion Coefficients During Agarose Gel Electrophoresis, 471
Pertinhez, T. A.
—; Nakaie, C. R.; Palva, A. C. M.; Schreier, S.: Spin-Labeled Extracellular Loop from a Seven-Transmembrane Helix Receptor: Studies in Solution and Interaction with Model Membranes, 821
Pletnev, S. V. See Pletnev, V. Z., 651
Pletnev, V. Z.
—; Ivanov, V. T.; Langs, D. A.; Burkhart, B. M.; Duax, W. L.: The X-Ray Structure of the Monoclinic Crystal Form of [D-Hyi^2, L-Hyi^4]*meso*-Valinomycin, 645
—; Ruzeinikov, S. N.; Tsigannik, I. N.; Ivanov, V. T.; Pletnev, S. V.; Langs, D. A.; Duax, W. L.: The Crystal and Molecular Structure of a Valinomycin Analogue cyclo[(D-Val-L-Lac-L-Ala-D-Hyi)$_2$(D-Val-L-Lac-L-Val-D-Hyi)] · H_2O ($C_{50}H_{82}N_6O_{18} \cdot H_2O$), 651
Pochetti, G. See Torrini, I., 415
Porcar, I. See Pérez-Payá, E., 169
Prakash, A. S. See Harding, M. M., 387
Prémilat, S. See Collet, O., 363
Pristovšek, P.
—; Kidrič, J.: NMR and Molecular Dynamics Study of Muroctasin—Implications

for the Bioactive Conformation, 659
Proni, G. See Gottarelli, G., 561

Radko, S. P.
—; Chrambach, A.: Electrophoresis of Proteins in Semidilute Polyethylene Glycol Solutions: Mechanism of Retardation, 183
Rajan, R.
—; Awasthi, S. K.; Bhattacharjya, S.; Balaram, P.: "Teflon-Coated Peptides": Hexafluoroacetone Trihydrate as a Structure Stabilizer for Peptides (Rapid Communication), 125
Rajashankar, K. R.
—; Ramakumar, S.; Jain, R. M.; Chauhan, V. S.: Role of Two Consecutive α,β-Dehydrophenylalanines in Peptide Structure: Crystal and Molecular Structure of Boc-Leu-ΔPhe-ΔPhe-Ala-Phe-NHMe, 373
Ramakumar, S. See Rajashankar, K. R., 373
Rathke, T. See Mathur, A. B., 61
Rellick, L. M.
—; Becktel, W. J.: Comparison of van der Waals and Semiempirical Calculations of the Molecular Volumes of Small Molecules and Proteins, 191
Rico, M. See Borroto, A., 75
Righetti, P. G. See Stellwagen, N. C., 687
Rinaudo, M. See Boutebba, A., 811
Rodger, A. See Harding, M. M., 387; See Kim, S. K., 101
Rossi, F. See D'Andrea, L. D., 349
Roux, M.
—; Neumann, J.-M.; Toma, F.: ACTH Binding to Phospholipid Bilayers: A ^{1}H-NMR Study of the 5-14, 1-14, and 1-24 Derivatives, 731
Ruffieux, R. See Obrecht, D., 575
Ruzeinikov, S. N. See Pletnev, V. Z., 651

Sanders, K. J. See Harding, M. M., 387
Saviano, M. See Crisma, M., 1; See D'Andrea, L. D., 349
Scheraga, H. A. See Collet, O., 363
Schievano, E. See Cabrele, C., 147
Schneider, B.
—; Neidle, S.; Berman, H. M.: Conformations of the Sugar–Phosphate Backbone in Helical DNA Crystal Structures, 113
Schönholzer, P. See Obrecht, D., 575
Schreier, S. See Pertinhez, T. A., 821
Schurr, J. M. See Delrow, J. J., 455
Sejbal, J.
—; Wang, Y.; Cann, J. R.; Stewart, J. M.; Gera, L.; Kotovych, G.: A Comparative NMR and Molecular Dynamics Study of the Conformations of Bradykinin B_1 and B_2, B_2, and B_1-Specific Receptor Antagonists B-9430, B-9436, and B-9858, 521
Sheardy, R. D. See Hicks, M., 549
Shelton, C. J. See Harding, M. M., 387
Sobieszek, A. See Babiychuk, E. B., 673
Spada, G. P. See Gottarelli, G., 561
Spiegler, C. See Obrecht, D., 575
Spisani, S. See Torrini, I., 415
Stellwagen, N. C.
—; Gelfi, C.; Righetti, P. G.: The Free Solution Mobility of DNA, 687
Stewart, J. M. See Sejbal, J., 521
Sung, S.-S.
—; Wu, X.-W.: Molecular Dynamics Simulations of Helix Folding: The Effects of Amino Acid Substitution, 633
Sun, J.-S. See Kim, S. K., 101
Sun, W.-Y.
—; Fang, J.-L.; Cheng, M.; Xia, P.-Y.; Tang, W.-X.: Secondary Structure Dependent on Metal Ions of Copper,Zinc Superoxide Dismutase Investigated by Fourier Transform IR Spectroscopy, 297
Szekerke, M. See Mezö, G., 719
Szende, B. See Szókán, Gy., 305
Szókán, Gy.
—; Almás, M.; Krizsán, K.; Khlafulla, A. R.; Tyihák, E.; Szende, B.: Structure Determination and Synthesis of Lysine Isopeptides Influencing on Cell Proliferation, 305

Tada, T.
—; Matsumoto, T.; Masuda, T.: Influence of Alkaline Concentration on Molecular Association Structure and Viscoelastic Properties of Curdlan Aqueous Systems, 479
Tang, W.-X. See Sun, W.-Y., 297
Tauler, R. See Gargallo, R., 271
Tinland, B. See Pernodet, N., 471
Toma, F. See Roux, M., 731
Tonelli, A. See Mathur, A. B., 61
Toniolo, C. See Crisma, M., 1
Torrini, I.
—; Paglialunga Paradisi, M.; Pagani Zecchini, G.; Lucente, G.; Gavuzzo, E.; Mazza, F.; Pochetti, G.; Traniello, S.; Spisani, S.: Synthesis, Conformation, and Biological Activity of

Two fMLP-OMe Analogues Containing the New 2-[2′-(Methylthio)ethyl]methionine Residue, 415
Traniello, S. See Torrini, I., 415
Tsigannik, I. N. See Pletnev, V. Z., 651
Tyihák, E. See Szókán, Gy., 305

Valle, G. See Crisma, M., 1
Valluzzi, R.
—; Gido, S. P.: The Crystal Structure of *Bombyx mori* Silk Fibroin at the Air–Water Interface, 705
Vernia, C. See Vuppu, A. K., 89
Veselkov, A. N. See Davies, D. B., 285
Viovy, J.-L. See Cizeau, P., 383
Vishveshwara, S. See Nadig, G., 505
Vuppu, A. K.
—; Garcia, A. A.; Vernia, C.: Tapping Mode Atomic Force Microscopy of Scleroglucan Networks, 89

Wallace, B. A. See Chen, Y., 771
Wang, Y. See Sejbal, J., 521
Wharton, G., III See Hicks, M., 549
Wilkes, B. C. See Carpenter, K. A., 37
Woodhead, A. L. See Church, J. S., 7
Wu, X.-W. See Sung, S.-S., 633

Xia, P.-Y. See Sun, W.-Y., 297

Yue, J.-C. See Li, Y.-H., 219

Zaccaro, L. See Crisma, M., 1
Zumbrunn, C. See Obrecht, D., 575

Biopolymers

Subject Index to Volume 42

Accessible surface area, 191
ACTH, 731
ACTH fragments 5-14, 1-14, and 1-24, 731
Aerosol spray deposition, 133
Agarose gel electrophoresis, 471
Aggregation, 147
Air–water interface, 705
Amino acid deriviatives, 1
Amino acid propensity, 489
β-amylase, 831
Analysis according to G. Fasman, 575
Angiotensin II, 363
Antibiotic, 759
Antitumor activity, 305
Aqueous environments, 489
Aqueous solution, 147
Atomic resolution, 1

Backing off couplings, 305
Benzo[4,3-b]indole, 101
Binding of Co(III) to DNA, 549
Bioactive conformation, 659
Bombolitin III, 147
Bombyx mori, 705
Bradykinin antagonist conformation, 521
Bradykinin receptor antagonists, 521
Branched polypeptides, 719
Buffer dependence of mobility, 687

Calcium nitrate, 61
Calf thymus DNA, 203
Calmodulin, 673
Calorimetric measurements, 811
Capping effect, 633
Carrageenan, 133
Carrier design, 719
Catalytic mechanism, 319
Cation transport, 759
CD, 101, 203, 337, 387, 561
CD of fd single-stranded DNA, 337
CD of poly[d(A)], 337
CD of poly[r(A)], 337
CD spectroscopy, 575, 771
CD3-ε, 75
c-erbB2 receptor, 157
Charge transference, 219
Chemical thermodynamics, 499
Chemometrics, 271
Chemotaxis, 415
Cis/trans isomerization, 49
Clavicepamines, 305
Coiled coils, 855
Coiled-coil structure, 157
Collagen, 133, 219
Collapse transition, 537
Computer simulation, 399, 831
Conformation, 19, 349, 415
Conformation of antibiotic, 759
Conformational change, 771
Conformational model of lipid-bound atrial natriuretic peptide analogue, 37
Conformational transition, 147
Constrained peptides, 373
Convex constraint CD, 575
Copper(II) metal complexation, 271
Copper,zinc superoxide dismutase and metal ion free derivatives, 297
Cortical cells, 7
Crystal and molecular structure, 651
Crystal structure, 373, 415
Crystal structures, 113
Curdlan, 479
Cuticle cells, 7
Cyclic peptides, 349
Cyclopropyl amino acids, 439
Cytochrome C, 227
Cytoplasmic tail, 75
C^{α}-tetrasubstituted amino acids, 415

Dansylcadaverine-melittin, 169
Dansylcadaverine-substance P, 169
Dehydrophenylalanine, 373
Denaturation–renaturation, 89
Designed oligomers, 549
Determination of, 575
Dimerization, 157, 627
Dispersion coefficients, 471
Dissolution, 61
DNA, 129, 383, 687
DNA backbone, 113
DNA chemical footprinting, 387
λ-DNA concentration, 471
DNA conformations, 113
DNA duplexes, 795
DNA geometries, 113
DNA ligands, 101
DNA, stretching, 383
DNA triplex helix–coil equilibrium, 129
DNA–protein complexes, 337
DNA·RNA hybrids, 795
Double-helical conformations, 771

Effect of ions, 561
Electron paramagnetic resonance, 821
Electrophoresis, 183
Endoplasmic reticulum retention, 75
Energy transference, 219
Enzyme kinetics, 831
Enzyme mechanism, 831
Enzyme structure, 411
Enzyme–substrate interactions, 319, 505
Ethidium bromide binding (ΔG, ΔH, ΔS), 285

fd gene 5 protein, 337
Fibers, 61
Fibroin, 705
Fitness landscapes, 427
FK506, 349

FK506 binding proteins, 349
FKBP12, 49
Fluorescence quenching, 219
Folding intermediates, 399
Folding pathways, 399
Formylpeptides, 415
Fotemustine, 387
Fourier transform ir spectroscopy, 227, 297
Fourier transform Raman spectroscopy, 7
Fractal dimension, 89
Free energy of hydration, 363
Free solution electrophoretic mobility, 687
Fringe recovery, 471

Ganglioside GA1, 19
Gellan, 133
Glycopeptide antibiotics, 627
GRID, 319

Hard-cylinder interactions, 455
Helical ratio, 633
3_{10}-helix, 373
Helix bundles, 855
α-helix stability, 239
Hexafluoroacetone trihydrate, 125
High performance liquid chromatography, 305
^{1}H-nmr of drug binding, 285
Hydroxyl groups, 719
Hypocrellin B, 219

Imaging of biopolymers with NCAFM, 133
Imaging of carbohydrate polymers with NCAFM, 133
Imaging of polysaccharides with NCAFM, 133
Immunoreceptor tyrosine-based activation motif, 75
Intercalation, 101, 387
Intercalation of ethidium bromide, 285
Ion channel, 771
Ionophore, 645, 651
Iron–sulfur cluster, 411
Isopeptides of lysine, 305

Jackknife, 837

α-Keratins, 7

Langevin dynamics, 745
Langmuir monolayer, 705
Langmuir-Blodgett film, 227
Langmuir–Blodgett film, 705
Lattice models, 427
Lattice proteins, 537
Linear dichroism, 101, 387

Maltooligosaccharides, 831
Measurement of biopolymer chain thickness distributions with NCAFM, 133
Measurement of biopolymer contour length distributions with NCAFM, 133
Melittin, 169, 673
Melting behavior, 271
Membrane-like environments, 489
α-methylmethionine, 439
Micellar catalysis, 49
Micelles, 239, 759
Microbial polysaccharide, 479
Mobilities, 471
Model membrane, 821
Molecular association, 479
Molecular dynamics, 319, 349, 363, 521, 659
Molecular dynamics calculations, 37
Molecular dynamics simulation, 505
Molecular evolution, 427
Molecular mechanics, 319
Molecular modeling, 157, 319
Molecular orbital calculation, 191
Molecular volume, 191
Molecular weight dependence of mobility, 687
Monolayer, 705
Monte Carlo, 831
Monte Carlo method, 537
Monte Carlo simulation, 363
Morphological structure, 7
Multiple attack, 831
Multiple minima problem, 633
Muramyl dipeptide, 659
Muroctasin, 659
Mutant g5p, tyrosine-to-phenylalanine, 337
Myosin light chain kinase, 673

Native proteins, 183

Nearest-neighbor properties, 783, 795
Nmr, 349, 521
NMR conformational analysis, 659
Nmr structure, 75
NMR structure refinement, 759
Nonaqueous solvents, 771
Noncontact atomic force microscopy, 133
Nonpolar host peptides, 575
Nuclear Overhauser effect distance constraints, 37
Nucleic acid oligomers, 783, 795
Nucleic acid polymers, 783
Nucleic acid sequences, 783

Off-lattice, 745
Oligodeoxynucleotides, 285
Oligomerization, 673
Oncogenic transmembrane helices, 157
Optical melting studies, 549
Optical microscopy, 561
Optically pure (R)- and (S)-α,α-disubstituted amino acids, 575
Optically pure α-substituted aspartic and glutamic acid derivatives, 575
Optically pure α-substituted pyroglutamate and succinimide derivatives, 575
Order–Disorder, 811

Peptide, 821
Peptides, 125
Peptide–lipid interaction, 169
Peptidomimetics, 439
Peptidyl–prolyl *cis/trans* isomerase, 49
Phospholipase C, 319
Phospholipid bilayers, 731
Phosphotyrosine binding domains, 75
Photobleaching, 471
Poly (dA-dT)-poly(dA-dT), 203
Poly (dG-dC)-poly (dG-dC), 203
Poly(inosinic)-poly(cytidylic) acid, 271
Poly(see under L-lysine), 719
Polynucleotides, 101
Polypeptide structure, 771
Poly-ε-lysine, 305

Porphyrin synthesis, 203
Porphyrin-DNA binding, 203
Pressure-jump relaxation kinetics, 129
Principal component analysis, 505
Proline, 49
Protein conformations, 227
Protein folding, 239, 399, 427, 745
Protein models, 537
Protein structure, 319
Protein surfactancy, 705
Protein topology, 411

Receptor, 821
Recorded at neutral, acidic, and basic pH, 575
Residue-coupled model, 837
Resubstitution, 837
Retardation, 183
RNA polymerase II, 387
RNase A, 505

Scaling theory, 183
Schizophyllan, 133
Scleroglucan, 133
Scleroglucan networks, 89
Screened Coulomb interactions, 455
Secondary structure, 489, 771
Secondary structure analysis, 297
Secondary structure prediction, 239
Self-assembly in closed and open architecture, 561
Self-modeling curve resolution, 271
Semidilute polymer solution, 183
Sequence patterns, 537
Sequence specificity, 549
Short-wavelength UV CD, 337
Silicosis, 219
Silk, 705
Silk fibroin, 61
Silkworm, 705
Simplified folding models, 745
Single-residue substitution, 633
Single-stranded DNA binding protein, 337
Smooth muscle, 673
Solvent effects, 363, 399
Solvent polarity, 771
Solvent-referenced potential, 633
Speciation, 271
α-Spectrin, 855
Spectroscopy in micelles, 759
Spin glasses, 427
Spin label, 821
SPXX peptides, 387
Src homology 2/Src homology 3 domains, 75
Staphyloccus aureous, 627
Stereoisomers, 439
Structural databases, 113
Structure and function, 645
Structure in micelles, 759
Structure stabilizers, 125
Succinoglycan, 811
Supercoiled DNAs, 455
Surface area, 363
Sweet potato, 831

Tapping mode atomic force microscopy, 89
T-cell activation, 75
T-cell antigen receptor, 75
Tentacle porphyrins, 203
3_{10}- and α-helix compatibilities of amino acids, 575
α- and β-tetralin derived amino acids, 575
Thermodynamic characterization, 549
Thermodynamic parameters, 795
Thermodynamic parameters of drug binding, 285
Thermodynamic treatment, 169
Topological chirality, 411
Torsional angles, 37
Trans-2,3-methanomethionine, 439
Triple helix stabilization, 101
Tropomyosin, 855
2-[2′-(methylthio)ethyl]methionine, 415
β-turn, 387
Two-dimensional nmr spectroscopy, of 3_{10}- and α-helical conformations, 575
Tyrosine CD, 337
Tyrosine phosphorylation, 75

UpA, 505
Uv-visible spectroscopy, 203

Valinomycin analogue, 645
Valinomycin analogue, 651
van der Waals radius, 191
Vancomycin, 627
Van't Hoff equation, 499
Viscometry, 203

WHAM, 745
Wild transmembrane helices, 157
Wool fibers, 7

Xanthan, 133
X-ray crystallography, 651
X-ray diffraction, 373, 561
X-ray direct methods, 645
X-ray spectroscopy, of 9-mer, 10-mer, and 12-mer peptides, 575

YSPTSPSY, 387